





## Reference

1. Gaby, W. L., and L. Free. 1958. Differential diagnosis of pseudomonas-like microorganisms in the clinical laboratory. *J. Bacteriol.* 76:442–444.
2. Gaby, W. L., and C. Hadley. 1957. Practical laboratory test for the identification of *Pseudomonas aeruginosa*. *J. Bacteriol.* 74:356–358.
3. MacFaddin, J. 1972. *Biochemical tests for the identification of medical bacteria*. Williams and Wilkins Company, Baltimore, MD.
4. Rice E.W., Baird, R.B., Eaton A. D., Clesceri L. S. (Eds.), 2012, *Standard Methods for the Examination of Water and Wastewater*, 22nd ed., APHA, Washington, D.C.
5. Wehr H. M. and Frank J. H., 2004, *Standard Methods for the Microbiological Examination of Dairy Products*, 17th Ed., APHA Inc., Washington, D.C.
6. Lapege S., Shelton J. and Mitchell T., 1970, *Methods in Microbiology*, Norris J. and Ribbons D., (Eds.), Vol. 3A, Academic Press, London.
7. MacFaddin J. F., 2000, *Biochemical Tests for Identification of Medical Bacteria*, 3rd Ed., Lippincott, Williams and Wilkins, Baltimore.

Revision : 01/ 2015

### Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

---