

Complete Supplement Mixture w/o LEU, w/ 40mg/l ADE

G107

Complete Supplement Mixture w/o LEU, w/ 40mg/l ADE is used as a dropout supplement for all strains of *Saccharomyces cerevisiae*.

Composition :**

| Ingredients | Milligrams/Litre |
|--------------------|-------------------------|
| Adenine | 40.00 |
| L-Arginine HCl | 50.00 |
| L-Aspartic acid | 80.00 |
| L-Histidine HCl | 20.00 |
| L-Isoleucine | 50.00 |
| L-Lysine HCl | 50.00 |
| L-Methionine | 20.00 |
| L-Phenylalanine | 50.00 |
| L-Threonine | 100.00 |
| L-Tryptophan | 50.00 |
| L-Tyrosine | 50.00 |
| Uracil | 20.00 |
| L-Valine | 140.00 |

** Formula adjusted, standardized to suit performance parameters

Directions :

Suspend 720 mg in 1000 ml distilled water. Sterilize by autoclaving at 10 lbs pressure (115°C) for 20 minutes. Mix well and dispense as desired.

Principle and Interpretation :

Complete Supplement Mixture w/o LEU, w/ 40mg/l ADE is used as a dropout supplement for all strains of *Saccharomyces cerevisiae*. Complete Supplement Mixture (CSM) is composed of all the amino acids required for the vigorous growth of *Saccharomyces cerevisiae*. It also contains uracil. Moreover, it contains 40 mg/l of adenine i.e. more than the required amount (10 mg/l). CSM w/o LEU does not contain leucine. This makes it a dropout growth medium for yeast cells. It can be mixed with yeast nitrogen base (YNB), ammonium sulphate and an appropriate carbon source (glucose/galactose/raffinose) to produce a media suitable for the growth of leucine prototrophs and wild type strains of *S. cerevisiae* but leucine auxotroph cannot grow in this media. Therefore, CSM w/o LEU can be used as drop-out formulation for the selection of auxotrophic requirements and transformants.

This is the minimum amount for healthy growth while maintaining red color in certain adenine auxotrophs. CSM formulations are available that contain 20 or 40 mg/liter of adenine.

Please refer disclaimer Overleaf

Quality Control :

Appearance of Powder :

White to off-white, homogeneous, free flowing powder.

Colour and Clarity :

Colourless, clear solution without any precipitate.

Cultural Response :

Cultural characteristics observed after an incubation at 25-30°C for 18 - 48 hours.

Organisms (ATCC)


Saccharomyces cerevisiae

Growth

good-luxuriant

Storage and Shelf-life :

Store below 30°C and the prepared medium at 2 - 8°C. Use before expiry date on the label.



Storage temperature



Do not use if package is damaged



HiMedia Laboratories Pvt. Limited,
23 Vadhani Industrial Estate,
LBS Marg, Mumbai-86, MS, India

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.