



### Quality Control

#### Appearance

Dark violet coloured solution.

#### Clarity

Clear without any particles.

#### Microscopic Examination

Blood staining is carried out where Field's Stain A is used as one of the stains and staining characteristic is observed under microscope.

#### Results

Nuclei <"blue

Pgwwtqr j knke" i tcpwngu""<"nknce"

Gqkqpqr j knke" i tcpwngu""<"qtcpig

Tgf"egnnu <"rkpm

### Uvqtcig"cpf"Ujgnh"Nkhg

Store between 10- 30°C in tightly closed container and away from bright light. Use before expiry date on label. On opening product should be properly stored in dry ventilated area protected from extremes of temperature and sources of ignition. Seal the container tightly after use.

#### Fkurqucn

Wugt" o wuv"gpuwtg"uchg"fkurqucn"d{"cwwqencxkp i"cpflqt"kpkepgetcvkqp"qh"wugf"qt"wpwucdng"rtgrctcvkqpu"qh"vjku"rtqfwev0"Hqnnqy guvcdnku jgf"ncdqtcvqt{"rtqegfwtgu"kp"fkurqukp i"qh"kphgevkqwu" o cvgtkcu"cpf" o cvgtken"vjcv"eq o gu"kpvg"eqpvcev" ykvj"enkpkccn uc o rng" o wuv"dg"fgeqpv o kpcvvgf"cpf"fkurqugf"qh"kp"ceeqtfcpeg" ykvj"ewttgpn"ncdqtcvqt{"vgejpkswgu"\*3.4+0

#### Tghgtgpeg

- 30 Y gjt" J 0" O0"cpf"Htcpm"l0" J 0."4226."Uvcpfctf" Ogvjqfu" hqt"vjg" Oketqdkqnq i kecn"Gzc o kpcvkkp" qh" Fckt{"Rtqfwevu."39vj" Gf0. CRJC"Kpe0."Y cu jkp i vqp."F0E0"
- 40 Kugpdgti." J 0F0"Enkpkccn"Oketqdkqnq i {"Rtqegfwtgu" J cpfdqqm0"4pf"Gfkkvqp0
- 50 Lqti gpugp.l0J 0."Rhcngt"."O0C0."Ecttqnn."M0E0."Hwpmg." I 0."Ncpft{ ."O0N0."Tkejvgt."U0U"cpf" Y ctpqem0."F0Y 0"\*4237+" Ocpwcn of Enkpkccn"Oketqdkqnq i {"33vj"Gfkkvqp0"Xqn0"30
- 60 Ujcpjqqnv |gt.E0L0.R0"Uejcrgt".cpf"N0T0"Rgvgtuqp03 ; :40Eqpegpvctvgf" I tco"uvckp"uogct"rtgrctgf" ykvj" c"e{vqurkp egpvtkhwi g0"L0enkp0"Oketqdkqn038<3274/3278

Tgxkukp"<23"l"423 ;

#### Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory,diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.